

PHP Version 5.3.17

System	Linux linux-l81z.site 3.7.10-1.16-default #1 SMP Fri May 31 20:21:23 UTC 2013 (97c14ba) x86_64
Server API	Apache 2.0 Handler
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/etc/php5/apache2
Loaded Configuration File	/etc/php5/apache2/php.ini
Scan this dir for additional .ini files	/etc/php5/conf.d
Additional .ini files parsed	/etc/php5/conf.d/bz2.ini, /etc/php5/conf.d/ctype.ini, /etc/php5/conf.d/curl.ini, /etc/php5/conf.d/dom.ini, /etc/php5/conf.d/exif.ini, /etc/php5/conf.d/fileinfo.ini, /etc/php5/conf.d/gd.ini, /etc/php5/conf.d/iconv.ini, /etc/php5/conf.d/imagick.ini, /etc/php5/conf.d/json.ini, /etc/php5/conf.d/mbstring.ini, /etc/php5/conf.d/mcrypt.ini, /etc/php5/conf.d/mysql.ini, /etc/php5/conf.d/mysqli.ini, /etc/php5/conf.d/pdo.ini, /etc/php5/conf.d/pdo_mysql.ini, /etc/php5/conf.d/pdo_pgsql.ini, /etc/php5/conf.d/pdo_sqlite.ini, /etc/php5/conf.d/pgsql.ini, /etc/php5/conf.d/sqlite.ini, /etc/php5/conf.d/sqlite3.ini, /etc/php5/conf.d/tokenizer.ini, /etc/php5/conf.d/xmlreader.ini, /etc/php5/conf.d/xmlwriter.ini, /etc/php5/conf.d/zip.ini, /etc/php5/conf.d/zlib.ini
PHP API	20090626
PHP Extension	20090626
Zend Extension	220090626
Zend Extension Build	API220090626,NTS
PHP Extension Build	API20090626,NTS
Debug Build	no
Thread Safety	disabled
Zend Memory Manager	enabled
Zend Multibyte Support	disabled
IPv6 Support	enabled
Registered PHP Streams	php, file, glob, data, http, ftp, compress.bzip2, zip, compress.zlib
Registered Stream Socket Transports	tcp, udp, unix, udg
Registered Stream Filters	string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, dechunk, bzip2.*, convert.iconv.*, mcrypt.*, mdecrypt.*, zlib.*

This program makes use of the Zend Scripting Language Engine:
 Zend Engine v2.3.0, Copyright (c) 1998-2012 Zend Technologies

**PHP Credits**

Configuration

apache2handler

Apache Version	Apache/2.2.22 (Linux/SUSE)
Apache API Version	20051115
Server Administrator	[no address given]
Hostname:Port	linux-l81z.site:0
User/Group	wwwrun(30)/8
Max Requests	Per Child: 10000 - Keep Alive: on - Max Per Connection: 100
Timeouts	Connection: 300 - Keep-Alive: 15
Virtual Server	No
Server Root	/srv/www
Loaded Modules	core prefork http_core mod_so mod_actions mod_alias mod_auth_basic mod_authn_file mod_authz_host mod_authz_groupfile mod_authz_default mod_authz_user mod_autoindex mod_cgi mod_dir mod_env mod_expires mod_include mod_log_config mod_mime mod_negotiation mod_setenvif mod_ssl mod_userdir mod_php5 mod_rewrite

Directive	Local Value	Master Value
engine	1	1
last_modified	0	0
xbithack	0	0

Apache Environment

Variable	Value
HTTP_HOST	my-localhost:8080
HTTP_USER_AGENT	Mozilla/5.0 (X11; Linux x86_64; rv:24.0) Gecko/20100101 Firefox/24.0 SeaMonkey/2.21
HTTP_ACCEPT	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
HTTP_ACCEPT_LANGUAGE	en,en-us;q=0.8,it;q=0.6,it-it;q=0.4,fr;q=0.2
HTTP_ACCEPT_ENCODING	gzip, deflate
HTTP_CONNECTION	keep-alive
PATH	/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin
SERVER_SIGNATURE	<address>Apache/2.2.22 (Linux/SUSE) Server at my-localhost Port 8080</address>
SERVER_SOFTWARE	Apache/2.2.22 (Linux/SUSE)
SERVER_NAME	my-localhost
SERVER_ADDR	127.0.0.1
SERVER_PORT	8080
REMOTE_ADDR	127.0.0.1
DOCUMENT_ROOT	/home/emanuele/webserver/htdocs
SERVER_ADMIN	[no address given]
SCRIPT_FILENAME	/home/emanuele/webserver/htdocs/phpinfo.php
REMOTE_PORT	38708
GATEWAY_INTERFACE	CGI/1.1
SERVER_PROTOCOL	HTTP/1.1
REQUEST_METHOD	GET
QUERY_STRING	no value
REQUEST_URI	/phpinfo.php

SCRIPT_NAME	/phpinfo.php
--------------------	--------------

HTTP Headers Information

HTTP Request Headers	
HTTP Request	GET /phpinfo.php HTTP/1.1
Host	my-localhost:8080
User-Agent	Mozilla/5.0 (X11; Linux x86_64; rv:24.0) Gecko/20100101 Firefox/24.0 SeaMonkey/2.21
Accept	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Language	en,en-us;q=0.8,it;q=0.6,fr;q=0.2
Accept-Encoding	gzip, deflate
Connection	keep-alive
HTTP Response Headers	
X-Powered-By	PHP/5.3.17
Keep-Alive	timeout=15, max=100
Connection	Keep-Alive
Transfer-Encoding	chunked
Content-Type	text/html

bz2

BZip2 Support	Enabled
Stream Wrapper support	compress.bzip2://
Stream Filter support	bzip2.decompress, bzip2.compress
BZip2 Version	1.0.6, 6-Sept-2010

Core

PHP Version	5.3.17
--------------------	--------

Directive	Local Value	Master Value
allow_call_time_pass_reference	Off	Off
allow_url_fopen	On	On
allow_url_include	Off	Off
always_populate_raw_post_data	Off	Off
arg_separator.input	&	&
arg_separator.output	&	&
asp_tags	Off	Off
auto_append_file	<i>no value</i>	<i>no value</i>
auto_globals_jit	On	On
auto_prepend_file	<i>no value</i>	<i>no value</i>
browscap	<i>no value</i>	<i>no value</i>
default_charset	<i>no value</i>	<i>no value</i>
default_mimetype	text/html	text/html
define_syslog_variables	Off	Off
disable_classes	<i>no value</i>	<i>no value</i>
disable_functions	<i>no value</i>	<i>no value</i>
display_errors	On	On

display_startup_errors	Off	Off
doc_root	no value	no value
docref_ext	no value	no value
docref_root	no value	no value
enable_dl	Off	Off
error_append_string	no value	no value
error_log	no value	no value
error_prepend_string	no value	no value
error_reporting	22525	22525
exit_on_timeout	Off	Off
expose_php	On	On
extension_dir	/usr/lib64/php5/extensions	/usr/lib64/php5/extensions
file_uploads	On	On
highlight.bg	#FFFFFF	#FFFFFF
highlight.comment	#FF8000	#FF8000
highlight.default	#0000BB	#0000BB
highlight.html	#000000	#000000
highlight.keyword	#007700	#007700
highlight.string	#DD0000	#DD0000
html_errors	Off	Off
ignore_repeated_errors	Off	Off
ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off
implicit_flush	Off	Off
include_path	./usr/share/php5:/usr/share/php5/PEAR	./usr/share/php5:/usr/share/php5/PEAR
log_errors	On	On
log_errors_max_len	1024	1024
magic_quotes_gpc	Off	Off
magic_quotes_runtime	Off	Off
magic_quotes_sybase	Off	Off
mail.add_x_header	On	On
mail.force_extra_parameters	no value	no value
mail.log	no value	no value
max_execution_time	30	30
max_file_uploads	20	20
max_input_nesting_level	64	64
max_input_time	60	60
max_input_vars	1000	1000
memory_limit	128M	128M
open_basedir	no value	no value
output_buffering	4096	4096
output_handler	no value	no value
post_max_size	800M	800M
precision	14	14
realpath_cache_size	16K	16K
realpath_cache_ttl	120	120
register_argc_argv	Off	Off
register_globals	Off	Off
register_long_arrays	Off	Off

report_memleaks	On	On
report zend_debug	On	On
request_order	GP	GP
safe_mode	Off	Off
safe_mode_exec_dir	<i>no value</i>	<i>no value</i>
safe_mode_gid	Off	Off
safe_mode_include_dir	<i>no value</i>	<i>no value</i>
sendmail_from	<i>no value</i>	<i>no value</i>
sendmail_path	/usr/sbin/sendmail -t -i	/usr/sbin/sendmail -t -i
serialize_precision	100	100
short_open_tag	Off	Off
SMTP	localhost	localhost
smtp_port	25	25
sql.safe_mode	Off	Off
track_errors	Off	Off
unserialize_callback_func	<i>no value</i>	<i>no value</i>
upload_max_filesize	800M	800M
upload_tmp_dir	<i>no value</i>	<i>no value</i>
user_dir	<i>no value</i>	<i>no value</i>
user_ini.cache_ttl	300	300
user_ini.filename	.user.ini	.user.ini
variables_order	GPCS	GPCS
xmlrpc_error_number	0	0
xmlrpc_errors	Off	Off
y2k_compliance	On	On
zend.enable_gc	On	On

ctype

ctype functions	enabled
-----------------	---------

curl

cURL support	enabled
cURL Information	7.28.1
Age	3
Features	
AsynchDNS	Yes
Debug	No
GSS-Negotiate	Yes
IDN	Yes
IPv6	Yes
Largefile	Yes
NTLM	Yes
SPNEGO	No
SSL	Yes
SSPI	No
krb4	No

libz	Yes
CharConv	No
Protocols	dict, file, ftp, ftps, gopher, http, https, imap, imaps, ldap, ldaps, pop3, pop3s, rtsp, scp, sftp, smtp, smtps, telnet, tftp
Host	x86_64-suse-linux-gnu
SSL Version	OpenSSL/1.0.1e
ZLib Version	1.2.7
libSSH Version	libssh2/1.4.3

date

date/time support	enabled
"Olson" Timezone Database Version	0.system
Timezone Database	internal
Default timezone	Europe/Rome

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333
date.timezone	Europe/Rome	Europe/Rome

dom

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.9.0
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

ereg

Regex Library	Bundled library enabled
----------------------	-------------------------

exif

EXIF Support	enabled
EXIF Version	1.4 \$Id\$
Supported EXIF Version	0220
Supported filetypes	JPEG,TIFF

Directive	Local Value	Master Value
exif.decode_jis_intel	JIS	JIS
exif.decode_jis_motorola	JIS	JIS

exif.decode_unicode_intel	UCS-2LE	UCS-2LE
exif.decode_unicode_motorola	UCS-2BE	UCS-2BE
exif.encode_jis	<i>no value</i>	<i>no value</i>
exif.encode_unicode	ISO-8859-15	ISO-8859-15

fileinfo

fileinfo support	enabled
version	1.0.5-dev

filter

Input Validation and Filtering	enabled
Revision	\$Id: 2b8c730d7d00a8485d07cd792f0c82852ffe4113 \$

Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw
filter.default_flags	<i>no value</i>	<i>no value</i>

gd

GD Support	enabled
GD Version	bundled (2.0.34 compatible)
FreeType Support	enabled
FreeType Linkage	with freetype
FreeType Version	2.4.11
T1Lib Support	enabled
GIF Read Support	enabled
GIF Create Support	enabled
JPEG Support	enabled
libJPEG Version	8
PNG Support	enabled
libPNG Version	1.5.13
WBMP Support	enabled
XPM Support	enabled
XBM Support	enabled

Directive	Local Value	Master Value
gd.jpeg_ignore_warning	0	0

hash

hash support	enabled
Hashing Engines	md2 md4 md5 sha1 sha224 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snefru snefru256 gost adler32 crc32 crc32b salsa10 salsa20 haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

iconv

iconv support	enabled
iconv implementation	glibc
iconv library version	2.17

Directive	Local Value	Master Value
iconv.input_encoding	ISO-8859-1	ISO-8859-1
iconv.internal_encoding	ISO-8859-1	ISO-8859-1
iconv.output_encoding	ISO-8859-1	ISO-8859-1

imagick

imagick module	enabled
imagick module version	3.1.0RC2
imagick classes	Imagick, ImagickDraw, ImagickPixel, ImagickPixelIterator
ImageMagick version	ImageMagick 6.7.8-8 2013-03-18 Q16 http://www.imagemagick.org
ImageMagick copyright	Copyright (C) 1999-2012 ImageMagick Studio LLC
ImageMagick release date	2013-03-18
ImageMagick number of supported formats:	201
ImageMagick supported formats	3FR, A, AAI, AI, ART, ARW, AVI, AVS, B, BGR, BGRA, BMP, BMP2, BMP3, BRF, C, CAL, CALS, CANVAS, CAPTION, CIN, CIP, CLIP, CMYK, CMYKA, CR2, CRW, CUR, CUT, DCM, DCR, DCX, DDS, DFONT, DNG, DOT, DPX, EPDF, EPI, EPS, EPS2, EPS3, EPSF, EPSI, EPT, EPT2, EPT3, ERF, FAX, FITS, FRACTAL, FTS, G, G3, GIF, GIF87, GRADIENT, GRAY, GROUP4, HALD, HDR, HISTOGRAM, HRZ, HTM, HTML, ICB, ICO, ICON, INFO, INLINE, IPL, ISOBRL, JNG, JPEG, JPG, K, K25, KDC, LABEL, M, M2V, M4V, MAC, MAP, MAT, MATTE, MEF, MIFF, MNG, MONO, MOV, MP4, MPC, MPEG, MPG, MRW, MSL, MSVG, MTV, MVG, NEF, NRW, NULL, O, ORF, OTB, OTF, PAL, PALM, PAM, PANGO, PATTERN, PBM, PCD, PCDS, PCL, PCT, PCX, PDB, PDF, PDFa, PEF, PES, PFA, PFB, PFM, PGM, PICON, PICT, PIX, PJPEG, PLASMA, PNG, PNG24, PNG32, PNG8, PNM, PPM, PREVIEW, PS, PS2, PS3, PSB, PSD, PTIF, PWP, R, RADIAL-GRADIENT, RAF, RAS, RGB, RGBA, RGBO, RLA, RLE, SCR, SCT, SFW, SGI, SHTML, SR2, SRF, STEGANO, SUN, SVG, SVGZ, TEXT, TGA, THUMBNAI, TIFF, TIFF64, TILE, TIM, TTC, TTF, TXT, UBRL, UIL, UYVY, VDA, VICAR, VID, VIFF, VST, WBMP, WEBP, WMV, WPG, X, X3F, XBM, XC, XCF, XPM, XPS, XV, XWD, Y, YCbCr, YCbCrA, YUV

Directive	Local Value	Master Value
imagick.locale_fix	0	0
imagick.progress_monitor	0	0

json

json support	enabled
json version	1.2.1

libxml

libXML support	active
libXML Compiled Version	2.9.0
libXML Loaded Version	20900
libXML streams	enabled

mbstring

Multibyte Support	enabled
Multibyte string engine	libmbfl
HTTP input encoding translation	disabled

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Multibyte (japanese) regex support	enabled
Multibyte regex (oniguruma) backtrack check	On
Multibyte regex (oniguruma) version	4.7.1

Directive	Local Value	Master Value
mbstring.detect_order	<i>no value</i>	<i>no value</i>
mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
mbstring.http_input	pass	pass
mbstring.http_output	pass	pass
mbstring.http_output_conv_mimetypes	^(text/ application/xhtml\+xml)	^(text/ application/xhtml\+xml)
mbstring.internal_encoding	<i>no value</i>	<i>no value</i>
mbstring.language	neutral	neutral
mbstring.strict_detection	Off	Off
mbstring.substitute_character	<i>no value</i>	<i>no value</i>

mcrypt

mcrypt support	enabled
mcrypt_filter support	enabled
Version	2.5.8
Api No	20021217
Supported ciphers	idea mars rc6 skipjack cast-128 gost rijndael-128 twofish arcfour cast-256 loki97 rijndael-192 saferplus wake blowfish-compat des rijndael-256 serpent xtea blowfish enigma rc2 tripledes
Supported modes	cbc cfb ctr ecb ncfb nofb ofb stream

Directive	Local Value	Master Value
mcrypt.algorithms_dir	<i>no value</i>	<i>no value</i>
mcrypt.modes_dir	<i>no value</i>	<i>no value</i>

mhash

MHASH support	Enabled
MHASH API Version	Emulated Support

mysql

MySQL Support	enabled
Active Persistent Links	0
Active Links	0
Client API version	mysqlnd 5.0.8-dev - 20102224 - \$Id: 65fe78e70ce53d27a6cd578597722950e490b0d0 \$

Directive	Local Value	Master Value
mysql.allow_local_infile	On	On
mysql.allow_persistent	Off	Off
mysql.connect_timeout	60	60
mysql.default_host	<i>no value</i>	<i>no value</i>
mysql.default_password	<i>no value</i>	<i>no value</i>
mysql.default_port	<i>no value</i>	<i>no value</i>
mysql.default_socket	/var/run/mysql/mysql.sock	/var/run/mysql/mysql.sock
mysql.default_user	<i>no value</i>	<i>no value</i>
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.trace_mode	Off	Off

mysqli

Mysqli Support	enabled
Client API library version	mysqlnd 5.0.8-dev - 20102224 - \$Id: 65fe78e70ce53d27a6cd578597722950e490b0d0 \$
Active Persistent Links	0
Inactive Persistent Links	0
Active Links	0

Directive	Local Value	Master Value
mysqli.allow_local_infile	On	On
mysqli.allow_persistent	Off	Off
mysqli.default_host	<i>no value</i>	<i>no value</i>
mysqli.default_port	3306	3306
mysqli.default_pw	<i>no value</i>	<i>no value</i>
mysqli.default_socket	/var/run/mysql/mysql.sock	/var/run/mysql/mysql.sock
mysqli.default_user	<i>no value</i>	<i>no value</i>
mysqli.max_links	Unlimited	Unlimited
mysqli.max_persistent	Unlimited	Unlimited
mysqli.reconnect	Off	Off

mysqlnd

mysqlnd	enabled
Version	mysqlnd 5.0.8-dev - 20102224 - \$Id: 65fe78e70ce53d27a6cd578597722950e490b0d0 \$
Compression	not supported
SSL	supported
Command buffer size	4096
Read buffer size	32768
Read timeout	31536000
Collecting statistics	Yes
Collecting memory statistics	No
Tracing	n/a

Client statistics	
bytes_sent	111626
bytes_received	413370
packets_sent	626
packets_received	9064
protocol_overhead_in	36256
protocol_overhead_out	2504
bytes_received_ok_packet	407
bytes_received_eof_packet	1530
bytes_received_rset_header_packet	2991
bytes_received_rset_field_meta_packet	124892
bytes_received_rset_row_packet	280634
bytes_received_prepare_response_packet	0
bytes_received_change_user_packet	0
packets_sent_command	286
packets_received_ok	37
packets_received_eof	170
packets_received_rset_header	241
packets_received_rset_field_meta	1729
packets_received_rset_row	6860
packets_received_prepare_response	0
packets_received_change_user	0
result_set_queries	162
non_result_set_queries	79
no_index_used	46
bad_index_used	0
slow_queries	0
buffered_sets	162
unbuffered_sets	0
ps_buffered_sets	0
ps_unbuffered_sets	0
flushed_normal_sets	0
flushed_ps_sets	0
ps_prepared_never_executed	0
ps_prepared_once_executed	0
rows_fetched_from_server_normal	6698
rows_fetched_from_server_ps	0
rows_buffered_from_client_normal	6698

rows_buffered_from_client_ps	0
rows_fetched_from_client_normal_buffered	6698
rows_fetched_from_client_normal_unbuffered	0
rows_fetched_from_client_ps_buffered	0
rows_fetched_from_client_ps_unbuffered	0
rows_fetched_from_client_ps_cursor	0
rows_affected_normal	45
rows_affected_ps	0
rows_skipped_normal	6698
rows_skipped_ps	0
copy_on_write_saved	10109
copy_on_write_performed	7260
command_buffer_too_small	7
connect_success	27
connect_failure	0
connection_reused	0
reconnect	0
pconnect_success	0
active_connections	0
active_persistent_connections	0
explicit_close	27
implicit_close	0
disconnect_close	0
in_middle_of_command_close	0
explicit_free_result	162
implicit_free_result	0
explicit_stmt_close	0
implicit_stmt_close	0
mem_emalloc_count	0
mem_emalloc_amount	0
mem_ecalloc_count	0
mem_ecalloc_amount	0
mem_erealloc_count	0
mem_erealloc_amount	0
mem_efree_count	0
mem_efree_amount	0
mem_malloc_count	0
mem_malloc_amount	0
mem_calloc_count	0
mem_calloc_amount	0
mem_realloc_count	0
mem_realloc_amount	0
mem_free_count	0
mem_free_amount	0
mem_strndup_count	0
mem_strndup_count	0
mem_estndup_count	0
mem_strdup_count	0
proto_text_fetched_null	0
proto_text_fetched_bit	0

proto_text_fetched_tinyint	1482
proto_text_fetched_short	152
proto_text_fetched_int24	981
proto_text_fetched_int	166
proto_text_fetched_bigint	57
proto_text_fetched_decimal	1
proto_text_fetched_float	20
proto_text_fetched_double	0
proto_text_fetched_date	20
proto_text_fetched_year	0
proto_text_fetched_time	0
proto_text_fetched_datetime	0
proto_text_fetched_timestamp	0
proto_text_fetched_string	7509
proto_text_fetched_blob	6879
proto_text_fetched_enum	0
proto_text_fetched_set	0
proto_text_fetched_geometry	0
proto_text_fetched_other	0
proto_binary_fetched_null	0
proto_binary_fetched_bit	0
proto_binary_fetched_tinyint	0
proto_binary_fetched_short	0
proto_binary_fetched_int24	0
proto_binary_fetched_int	0
proto_binary_fetched_bigint	0
proto_binary_fetched_decimal	0
proto_binary_fetched_float	0
proto_binary_fetched_double	0
proto_binary_fetched_date	0
proto_binary_fetched_year	0
proto_binary_fetched_time	0
proto_binary_fetched_datetime	0
proto_binary_fetched_timestamp	0
proto_binary_fetched_string	0
proto_binary_fetched_blob	0
proto_binary_fetched_enum	0
proto_binary_fetched_set	0
proto_binary_fetched_geometry	0
proto_binary_fetched_other	0
init_command_executed_count	0
init_command_failed_count	0
com_quit	27
com_init_db	10
com_query	241
com_field_list	0
com_create_db	0
com_drop_db	0
com_refresh	0
com_shutdown	0

com_statistics	0
com_process_info	0
com_connect	0
com_process_kill	0
com_debug	0
com_ping	0
com_time	0
com_delayed_insert	0
com_change_user	0
com_binlog_dump	0
com_table_dump	0
com_connect_out	0
com_register_slave	0
com_stmt_prepare	0
com_stmt_execute	0
com_stmt_send_long_data	0
com_stmt_close	0
com_stmt_reset	0
com_stmt_set_option	8
com_stmt_fetch	0
com_deamon	0
bytes_received_real_data_normal	235749
bytes_received_real_data_ps	0

pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	8.31 2012-07-06

Directive	Local Value	Master Value
pcre.backtrack_limit	1000000	1000000
pcre.recursion_limit	100000	100000

PDO

PDO support	enabled
PDO drivers	mysql, pgsql, sqlite, sqlite2

pdo_mysql

PDO Driver for MySQL	enabled
Client API version	mysqlnd 5.0.8-dev - 20102224 - \$Id: 65fe78e70ce53d27a6cd578597722950e490b0d0\$

Directive	Local Value	Master Value
pdo_mysql.default_socket	/var/run/mysql/mysql.sock	/var/run/mysql/mysql.sock

pdo_pgsql

PDO Driver for PostgreSQL	enabled
PostgreSQL(libpq) Version	9.2.4
Module version	1.0.2
Revision	\$Id\$

pdo_sqlite

PDO Driver for SQLite 3.x	enabled
SQLite Library	3.7.14.1

pgsql

PostgreSQL Support	enabled
PostgreSQL(libpq) Version	9.2.4
Multibyte character support	enabled
SSL support	enabled
Active Persistent Links	0
Active Links	0

Directive	Local Value	Master Value
pgsql.allow_persistent	On	On
pgsql.auto_reset_persistent	Off	Off
pgsql.ignore_notice	Off	Off
pgsql.log_notice	Off	Off
pgsql.max_links	Unlimited	Unlimited
pgsql.max_persistent	Unlimited	Unlimited

Reflection

Reflection	enabled
Version	\$Id: 593a0506b01337cfaf9f63ebc12cd60523fc2c41 \$

session

Session Support	enabled
Registered save handlers	files user sqlite
Registered serializer handlers	php php_binary

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.bug_compat_42	Off	Off
session.bug_compat_warn	Off	Off
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	<i>no value</i>	<i>no value</i>

session.cookie_httponly	Off	Off
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	/dev/urandom	/dev/urandom
session.entropy_length	32	32
session.gc_divisor	1000	1000
session.gc_maxlifetime	1440	1440
session.gc_probability	1	1
session.hash_bits_per_character	5	5
session.hash_function	3	3
session.name	PHPSESSID	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	files	files
session.save_path	/var/lib/php5	/var/lib/php5
session.serialize_handler	php	php
session.use_cookies	On	On
session.use_only_cookies	On	On
session.use_trans_sid	0	0

SimpleXML

Simplexml support	enabled
Revision	\$Id: 236859686f5942354e440a6084ec07673710ab6c \$
Schema support	enabled

SPL

SPL support	enabled
Interfaces	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
Classes	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, DirectoryIterator, DomainException, EmptyIterator, FilesystemIterator, FilterIterator, GlobIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, MultipleIterator, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RecursiveTreeIterator, RegexIterator, RuntimeException, SplDoublyLinkedList, SplFileInfo, SplFileObject, SplFixedArray, SplHeap, SplMinHeap, SplMaxHeap, SplObjectStorage, SplPriorityQueue, SplQueue, SplStack, SplTempFileObject, UnderflowException, UnexpectedValueException

SQLite

SQLite support	enabled
PECL Module version	2.0-dev \$Id\$
SQLite Library	2.8.17
SQLite Encoding	UTF-8

Directive	Local Value	Master Value
sqlite.assoc_case	0	0

sqlite3

SQLite3 support	enabled
SQLite3 module version	0.7-dev
SQLite Library	3.7.14.1

Directive	Local Value	Master Value
sqlite3.extension_dir	<i>no value</i>	<i>no value</i>

standard

Dynamic Library Support	enabled
Path to sendmail	/usr/sbin/sendmail -t -i

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0
assert.callback	<i>no value</i>	<i>no value</i>
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60
from	<i>no value</i>	<i>no value</i>
safe_mode_allowed_env_vars	PHP_	PHP_
safe_mode_protected_env_vars	LD_LIBRARY_PATH	LD_LIBRARY_PATH
url_rewriter.tags	a=href,area=href,frame=src,input=src,form=fakeentry	a=href,area=href,frame=src,input=src,form=fakeentry
user_agent	<i>no value</i>	<i>no value</i>

tokenizer

Tokenizer Support	enabled
--------------------------	---------

xml

XML Support	active
XML Namespace Support	active
libxml2 Version	2.9.0

xmlreader

XMLReader	enabled
------------------	---------

xmlwriter

XMLWriter	enabled
------------------	---------

zip

Zip	enabled
Extension Version	\$Id: 75f98b591f6e5b656786b38e42f0ca759a8eca80 \$
Zip version	1.11.0
Libzip version	0.10.1

zlib

ZLib Support	enabled
Stream Wrapper support	compress.zlib://
Stream Filter support	zlib.inflate, zlib.deflate
Compiled Version	1.2.7
Linked Version	1.2.7

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	<i>no value</i>	<i>no value</i>

Additional Modules

Module Name

Environment

Variable	Value
ROOTFS_FSTYPE	ext4
ROOTFS_FSCK	0
get_module_list_done	true
get_includes_done	true
PATH	/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin
vga	0x31a
DOC_SERVER	no
PWD	/
LANG	en_GB.UTF-8
SHLVL	0
splash	silent
ROOTFS_BLKDEV	/dev/sda1
OPENSSL_NO_DEFAULT_ZLIB	yes

PHP Variables

Variable	Value
_SERVER["HTTP_HOST"]	my-localhost:8080

_SERVER["HTTP_USER_AGENT"]	Mozilla/5.0 (X11; Linux x86_64; rv:24.0) Gecko/20100101 Firefox/24.0 SeaMonkey/2.21
_SERVER["HTTP_ACCEPT"]	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
_SERVER["HTTP_ACCEPT_LANGUAGE"]	en,en-us;q=0.8,it;q=0.6,fr;q=0.2
_SERVER["HTTP_ACCEPT_ENCODING"]	gzip, deflate
_SERVER["HTTP_CONNECTION"]	keep-alive
_SERVER["PATH"]	/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin
_SERVER["SERVER_SIGNATURE"]	<address>Apache/2.2.22 (Linux/SUSE) Server at my-localhost Port 8080</address>
_SERVER["SERVER_SOFTWARE"]	Apache/2.2.22 (Linux/SUSE)
_SERVER["SERVER_NAME"]	my-localhost
_SERVER["SERVER_ADDR"]	127.0.0.1
_SERVER["SERVER_PORT"]	8080
_SERVER["REMOTE_ADDR"]	127.0.0.1
_SERVER["DOCUMENT_ROOT"]	/home/emanuele/webserver/htdocs
_SERVER["SERVER_ADMIN"]	[no address given]
_SERVER["SCRIPT_FILENAME"]	/home/emanuele/webserver/htdocs/phpinfo.php
_SERVER["REMOTE_PORT"]	38708
_SERVER["GATEWAY_INTERFACE"]	CGI/1.1
_SERVER["SERVER_PROTOCOL"]	HTTP/1.1
_SERVER["REQUEST_METHOD"]	GET
_SERVER["QUERY_STRING"]	<i>no value</i>
_SERVER["REQUEST_URI"]	/phpinfo.php
_SERVER["SCRIPT_NAME"]	/phpinfo.php
_SERVER["PHP_SELF"]	/phpinfo.php
_SERVER["REQUEST_TIME"]	1384869519

PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.